VOL. 122

TITAN[®] ELECTRIC AIRLESS CATALOG





SPRAYING **RED**EFINED





THE BEST AND LONGEST WARRANTY IN THE INDUSTRY

Four-year Manufacturer's Defect

We pledge that our sprayers are free from defects in materials and workmanship. This excludes normal wear items and consumables such as filters, piston, packings, spray tips, spray guns, hoses, etc.

Lifetime DuraLife HE and PMDC Motor Warranty

If the motor fails for any reason (including wear) for as long as you own the sprayer, we will replace the motor at no cost to you.

Limited Lifetime DCX Motor Warranty

If the motor fails from normal usage for as long as you own the sprayer, we will replace the motor at no cost to you.

Gas Engine Warranty

3-year Honda® and 2-years all others.

Two-year Turbine Warranty

Lifetime Drive Train Warranty

If the drive train fails from normal usage for as long as you own the sprayer, we will replace the drive train at no cost to you.

Lifetime Warranty on PermaStroke Technology[™] Fluid Pump

Get a lifetime warranty on the PermaStroke Technology fluid pump. If the fluid pump fails for any reason (including wear) for as long as you own the sprayer, we will replace the fluid pump at no cost to you.

35-day Satisfaction Guarantee

If for any reason the sprayer does not perform up to your expectations within 35 days, the sprayer can be exchanged for the identical model or full credit toward the purchase of a Titan sprayer of larger size and value.

Express Parts Program

- More than 550 Authorized Service Centers nationwide
- The most common repair parts are guaranteed to be in stock 100% of the time
- If for any reason your preferred Authorized Service Center is out of stock, free 2nd day air is available when ordered by 3:00 pm (EST)

GO TO TITANWEARGUARD.COM FOR MORE INFORMATION



04 IMPACT° **SERIES**

Titan airless paint sprayers that offer the innovation and dependability a contractor needs to perform tough jobs.

12 ELITE[®] SERIES

Perfect for the smaller to medium size contractor that is looking for a portable electric sprayer



Sprayers with a well-earned reputation for durability and dependability for serious contractors.

18 FINE FINISH SPRAYERS

Sprayers with a well-earned reputation for durability and dependability for serious contractors.

20 TEXTURE SPRAYERS

Great for both interior and exterior finishing projects. Lightweight and easy to transport yet powerful enough to spray most architectural coatings and texture finishes.

22 SPRAYER SPECS

Compare Titan's electric airless offering and make sure you get the perfect pump for you and your jobs.

OUR MISSION

When your business depends on the tools you use, you need to be able to count on the people who make them.

Our relentless commitment to helping every professional painter be their best leads to better work, improved ROI and growing business.

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.

IMPACT[®] SERIES

1

These high-performance and heavy-duty electric airless paint sprayers are designed for sustained operation on a wide variety of projects, from a single room in a house to a warehouse or manufacturing facility. The Impact Series electric airless sprayers are durable with jobsite features that keep contractors spraying.

1

T TITAN

ŝ

MAXIMIZE YOUR INVESTMENT WITH THE IMPACT SERIES.

Business is demanding and you need the kind of performance you get from Titan sprayers. It's time to invest in the expanded features and performance that will make a major IMPACT on your profit margin.



Quad+ Packings™ / Permalife™ Cylinder Self-adjusting and self-compensating

Self-adjusting and self-compensating packings and no wearable cylinder deliver the longest life and lowest repair costs in the industry.



Field Serviceable

Whether you are replacing the entire fluid section or the packings only, it's fast and easy with the T-slot piston and modular design.



DigiTrac™ Integrated Digital Display Advanced diagnostics, set actual working pressure readings, resettable gallon and run time counter and more. Available on Impact models 640, 840 & 1140I.



Sureflo[™] Pusher Valve Primes the first time, every time. Unstick the lower ball valve with a push of a button. No need for a hammer. Available on the Impact 440 & 640 models.



AutoOiler[™] Deliver oil from the reservoir to the packings with the push of a button. Available on the Impact 440–1040 models.



Fast Removal Fluid Section T-slot piston and coarse thread make removal fast and easy. Available on Impact models 640 and 840.

IMPACT[®] 410

0.47 GPM

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

All-metal Construction With stainless steel piston rod and balls

PermaLife[™] Cylinder Will never wear out

Strong Metal Cart Handles jobsite punishment

Manifold Filter Filter cleans paint, preventing abrasives from reaching the gun tip.



Impact 410

When it comes to getting powerful performance at an affordable price, nothing comes close to the Impact 410. Perfectly suited for residential, property maintenance and small commercial applications, the Impact 410 applies all lacquers, stains, standard primers, paints and architecural coatings with ease.

Time
PP

The Impact 410 comes with RX-80 Gun, 517 TR $^{\rm 1}$ Reversible Tip and 1/4" x 50' Airless Hose.

	Impact 410
SPECIFICATIONS	
Max. Delivery	0.47 GPM
Max. Tip Size	0.021"
Max. Operating Pressure	3100 psi
Motor	3/4 HP DCX
WEIGHT	
Skid Frame	34 lbs.
High Rider	55 lbs.
CONFIGURATIONS	PART NO.
Skid	532052
High Rider	532053



ELECTRIC AIRLESS | titantool.com



Impact 440

Step up to the #1 selling sprayer in the industry, the Impact 440! Best suited for residential, property maintenance and small commercial applications, this high performance electric airless sprayer will apply all standard architectural primers, paints and coatings efficiently.

	Impact 440
SPECIFICATIONS	
Max. Delivery	0.54 GPM
Max. Tip Size	0.023"
Max. Operating Pressure	3300 psi
Motor	7/8 HP, DCX Motor
WEIGHT	
Skid Frame	37 lbs.
High Rider	65 lbs.
Low Rider	57 lbs.
CONFIGURATIONS	PART NO.
Skid	805-000
High Rider	805-016
Low Rider	805-019



IMPACT 440

0.54 GPM

Recommended for small and medium residential and commercial projects.

Features:

Quad+ Packings

Sureflo Pusher Valve

Electronic Pressure Control with Rapid Clean

Faster flushing and clean-up.

AutoOiler

Full-sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

PermaLife Cylinder Will never wear out

Extra Deep Holster

Keeps strainer in liquid to keep pump moist. (skid model only)





The Impact 440 comes with RX-80 Gun, 517 TR' Reversible Tip and 1/4" x 50' Airless Hose.

IMPACT[®] 640

0.60 GPM

Recommended for medium residential and commercial projects.

Features:

DuraLife[™] Brushless HE Motor Optimized for every tip size and every

painter's technique.

Quad+ Packings

Sureflo Pusher Valve

Electronic Pressure Control with Rapid Clean Faster flushing and clean-up.

PermaLife Cylinder Will never wear out

Full-sized Manifold Filter

Filter handles more paint, preventing abrasives from reaching the gun tip.

AutoOiler

Extra Deep Holster

Keeps strainer in liquid to keep pump moist. (Skid model only)







Both he Impact 640 & 740 come with RX-Pro Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.



Impact 640

The Impact 640 continues the climb to increased performance. This mid-range unit is perfect for residential, property maintenance, rental, and light commercial applications and is equipped with digital technology for improved efficiency.

Digitrac[™] Integrated Digital Display

Includes anti-theft lock to protect your investment.

- Advanced diagnostics
- Set pressure and actual working pressure readings
- Resettable gallon and run time counter
- Programmable service time (hour meter)



Low Rider



Impact 740

The Impact 740 is designed for extended, heavy-duty performance on larger residential and commercial projects. This is the sprayer contractors turn to when the time comes to enter the big leagues.

_		
	Impact 640	Impact 740
SPECIFICATIONS		
Max. Delivery	0.70 GPM	0.80 GPM
Max. Tip Size (1 Gun)	0.027"	0.029"
(2 Guns)		0.017"
Max. Operating Pressure	3300 psi	3300 psi
Motor	1.55 HP	2.0 HP
WEIGHT		
Skid Frame	38 lbs.	
High Rider	83 lbs.	83 lbs.
Low Rider	81 lbs.	
CONFIGURATIONS	PART NO.	PART NO.
Skid	805-002	
High Rider	805-007	805-007
Low Rider	805-008	

IMPACT 740

0.80 GPM

Recommended for medium and some large residential, commercial and industrial projects.

Features:

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

AutoOiler

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

PermaLife Cylinder Will never wear out

DuraLife Brusheless HE Motor

Optimized for every tip size and every painter's technique.

Telescoping Handle

Easy-load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 150-feet of airless hose.



Both the Impact 740 and 840 come with RX-Pro Gun, 517 TR' Reversible Tip and 1/4" x 50' Airless Hose.

IMPACT® 840

1.00 GPM

Recommended for medium and some large residential, commercial and industrial projects.

Features:

DigiTrac Integrated Digital Display

Includes anti-theft lock to protect your investment.

- Advanced diagnostics
- Set pressure and actual working pressure readings
- Resettable gallon and run time counter
- Programmable service time (hour meter)

Quad+ Packings

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

PermaLife[™] Cylinder Will never wear out

DuraLife[™] Brushless HE Motor

Optimized for every tip size and every painter's technique.

Easy-load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap Holds up to 150-feet of airless hose.

Electronic Pressure Control Consistent pressure. Zero deadband.

Telescoping Handle

Large Pneumatic Tires





Impact 840

The Impact 840 is a sprayer with more features and versatility for a greater variety of large residential, commercial – and even industrial – applications. This is the sprayer contractors turn to when the time comes to expand their business to tackle major projects.





Impact 1040

For big projects requiring large tip sizes or more than one spray gun operating from a single unit, you can rely on the power and performance of the Impact 1040. This workhorse is perfect for large residential, commercial and industrial applications where speed and power are necessary to get the job done faster and with greater efficiency.

	Impact 840	Impact 1040	
SPECIFICATIONS			
Max. Delivery	1.00 GPM	1.15 GPM	
Max. Tip Size (1 Gun)	0.032"	0.033"	
(2 Guns)	0.021"	0.022"	
Max. Operating Pressure	3300 psi	3300 psi	
Motor	2.3 HP	2.5 HP	
WEIGHT			
High Rider	83 lbs.	98 lbs.	
Low Rider	81 lbs.		
CONFIGURATIONS	PART NO.	PART NO.	
High Rider	805-009	552600	
Low Rider	805-010		

IMPACT[®] 1040

1.15 GPM

Recommended for applications using up to 2 guns in large residential, commercial and industrial projects.

Features:

Electronic Pressure Control

Consistent pressure. Zero deadband.

Quad+ Packings

AutoOiler

Fast Removable Fluid Section

T-slot piston and coarse thread make removal fast.

PermaLife Cylinder Will never wear out

DuraLife Brushless HE Motor

Optimized for every tip size and every painter's technique.

Telescoping Handle

Easy-load Cart

Clean back loads in and out of vehicles easily. (Available on high rider model only)

Hose Wrap

Holds up to 150-feet of airless hose.

Large Pneumatic Tires



Both the Impact 840 and 1040 come with RX-Pro Gun, TR1 517 Reversible Tip and 1/4" x 50' Airless Hose.

ELITE 3000

The Titan Elite 3000 is an electric, sealed hydraulic paint sprayer that offers a lifetime of durability. It uses the revolutionary PermaStroke Technology that has no piston, packings or clutch to replace, and is backed by the Elite lifetime fluid pump warranty. The Elite 3000 is a versatile direct drive sprayer that delivers a consistent finish and is easy to operate and is field serviceable, keeping contractors on the job.





Smart Design

- Multi-position cart allows for a low rider siphon or high rider direct immersion set-up
- Extremely reliable mechanical pressure control
- Roll-bar style cart protects the sprayer from jobsite and vehicle wear and tear
- Large 10-inch tires make it easy to maneuver around the jobsite



PermaStroke[™] Technology

- No piston or packings, cylinder or clutch to wear or burn out
- Delivers top performance at pressures from 300 to 3300 psi and when using small or large tip sizes
- Eliminates deadband delivering a consistent fan pattern optimizing finish quality



- Field serviceable with only two cartridge-style wear parts that can be changed in only five minutes.
- Features the Sureflo pusher valve that makes priming easy



WearGuard[®] Elite Lifetime Warranty

Lifetime warranty on the fluid pump



Elite 3000

Perfect for everyday use on residential, property maintenance and small commercial applications applying most architectural coatings such as interior and exterior latex, stains, lacquers, sealers, enamels and primers with ease.

	Elite 3000
SPECIFICATIONS	
Max. Delivery	0.60 GPM
Max. Tip Size (1-Gun)	0.025"
Max. Operating Pressure	3300 psi
Motor	1.2 HP Honda DCX
Weight	103 lbs
Part Number	2402333

Low Rider with hopper accessory (hopper sold separately)



ELITE 3000

0.60 GPM

Recommended for everyday applications using 1 gun in residential and commercial projects.

Features:

PermaStroke Technology

- No piston or packings, cylinder or clutch to wear or burn out
- Delivers top performance at pressures form 300 to 3300 psi when using small or large tips

Field Serviceable

The cartrige style inlet and outlet valves change out in minutes

Sureflo Pusher Valve

Unstick the lower ball valve with the push of a button. No need for a hammer.

Multi-position Cart

Allows for a low rider siphon or high rider direct immersion set-up

Field Serviceable

With only two cartridge-style wear parts that change in only 5 minutes

Telescoping Handle

Large Semi-pneumatic Tires



The Elite 3000 comes with RX-Pro Gun, TR^ 517 Reversible Tip and 1/4" x 50' Airless Hose.

13

POWRTWIN[™] SERIES

ARTIFRATION.

Since their introduction almost half a century ago, Titan PowrTwin hydraulic piston sprayers have a well-earned reputation for durability and dependability among serious contractors for large scale residential, commercial and industrial applications and multi-gun usage.

1.1. 274

THE SPRAYERS OF CHOICE FOR SERIOUS CONTRACTORS WITH LARGE-SCALE JOBS.

These high-performance, heavy-duty paint sprayers use long-stroke, slow-cycling hydraulic piston technology for economical operation and dependable, long-term spraying.



Convert from Gas to Electric Power Easily convert from Electric to Gas power. No tools required.



Belt Guard Easy access for converting from electric to gas power.



Speeflo° **HydraDrive**[™] Smooth, slow-stroking hydraulic drive provides extreme power and reliability.



Severe Service[™] 900 Pump Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life 150% over competitive pumps. Self-adjusting packings resist over-tightening and help prevent premature wear.

15

POWRTWIN 6900/8900 PLUS

1.25 GPM

Recommended for heavy coatings.

Features:

Slow and Long Stroking Hydraulic Piston Maximizes fluid section life.

Accurate Pressure Control From 400 to 3300 psi (27 to 248 bar)

Easy Convertability Convert to gas or electric power without any tools.

Speeflo^{*} HydraDrive[™]

Severe Service[™] 900 Pump

Easy-remove Filter Only 3 turns to remove.

Easy-access Belt Guard For converting from gas to electric.

Convenient Pail Hook





The PowrTwin 6900 Plus comes with S-3 Gun, 517 TR' Reversible Tip and 1/4" x 50' Airless Hose.



PowrTwin 6900 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. PowrTwin 6900 Plus is ideal for professionals who want the slow-stroking power and long-term durability only Titan hydraulic piston sprayers offer.

PowrTwin 8900 Plus

A step up for projects that require greater power and output, the PowrTwin 8900 Plus is our best-selling hydraulic piston sprayer, favored by contractors who want to complete large application jobs in record time with high profit margins. Finally a portable sprayer that can handle new construction all the way up to protective coatings.

Direct Immersion Design for Ultra-Heavy Coatings

The choice for serious contractors. Titan's PowrTwin DI Plus models are designed to minimize the distance between the inlet valve and heavy, high solid coatings, enabling more efficient sprayer operation with less strain on the pump.

- Apply texture, architectural primers and finishes with the same sprayer
- Sprays ultra-heavy coatings including joint compound, high solid coatings, block filler, elastomerics and intumescents
 - Spray splatter, orange peel and heavy knockdown textures with optional **Splatter Nozzle** (765-360)
- Siphon ultra-heavy coatings without starving the sprayer
- Pump cleans out faster, with less water or solvent
- Better weight distribution, lower center of gravity and large pneumatic tires for ease of transportation



	PowrTwin 6900 Plus Electric	PowrTwin 8900 Plus Electric	PowrTwin 6900 Plus DI Electric	
SPECIFICATIONS				
Max. Delivery	1.25 GPM	1.25 GPM	1.25 GPM	
Max. Tip Size (1 Gun)	0.036"	0.036"	0.036"	
(2 Guns)	0.026"	0.026"	0.026"	
Max. Operating Pressure	3300 psi	3300 psi	3300 psi	
Engine	2.0 HP	2.0 HP	2.0 HP	
CONFIGURATIONS	PART NO.	PART NO.	PART NO.	
Electric	290028	290027	290029	

POWRTWIN 6900 PLUS DI

1.25 GPM

Recommended for heavy coatings.

Features:

Submersed Foot Valve Eliminates all pressure loss.

Slow-stroking Hydraulic Piston Maximizes fluid section life.

Accurate Pressure Control From 400 to 3300 psi (27 to 248 bar)

Easy Convertability

Convert to gas or electric power without any tools.

E-Z Swing Frame

Allows for less spillage during paint changes and lower height of unit for easy transportation.





The PowrTwin 6900 Plus DI and 8900 Plus come with RX-Apex Non-filtered Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

FINE FINISH SPRAYERS

There will always be projects where speed trumps transfer efficiency and yet a fine finish is still the ultimate goal. Even the best HVLP sprayer can't compete with the speed of an air-assisted airless unit and for those jobs where production speed is essential, contractors and finishing professionals turn to the power and precision of Titan airless and air-assisted sprayers.

Features:

Airless Production

Atomizes finish coatings with ease. Maintains consistent spray patterns with less mixing and filling.

Versatile

Apply a wide range of coating materials. From the thinnest stains and lacquers to interior and exterior latex primers and paints.

Intelligent Design

Compact, simple and lightweight—these units are easy to use, easy to transport and easy to store.



AirCoat[™] Air-assisted Airless

Two systems in one! Uses low airless fluid pressure in the airassisted mode to deliver ultra fine atomization with higher transfer efficiency. The airless mode uses high pressure to spray higher solids finish coatings. Atomize all fine finish coatings at lower pressure for great control.

AIRCOA

TITAN

Also includes suction set for pumping directly from 5 gallon bucket.

Comes with GM3600 Gun with Flat Tip Assembly and 9/20 Brilliant Tip, $1/4"\ x\ 50'$ Bonded Fluid and Air Hose, 5' Fluid Whip and 5' Air Whip.

ED 655 Plus

A compact, lightweight system that's easy to use, easy to transport, and dependable. For fine finish projects and the contractors who tackle them, we designed the Titan ED 655 Plus.

Comes with RX-80 Gun, 412 Fine Finish Tip, 1/4" x 50' Airless Hose and 3/16" x 3' Airless Whip Hose.

18



MultiFinish[™] 440

The MultiFinish 440 offers the versatility of a piston pump to handle the widest variety of finish solutions. It combines quiet operation and air cap pressure for the finest atomization possible. The MultiFinish sprays nearly all fine finsih coatings with little to no reduction.

Comes with GM3600 Gun, SC-6+ Revesible Tip, 1/4" x 50' Bonded Fluid and Air Hose, 5' Fluid Whip and 5' Air Whip. Flat tip available for more versatility in fine finish applications.

	AirCoat AAA	ED 655 Plus	MultiFinish 440
SPECIFICATIONS			
Max. Delivery	0.35 GPM	0.35 GPM	0.54 GPM
Max. Tip Size	0.017"	0.017"	0.023"
Max. Operating Pressure	2800 psi	2800 psi	3300 psi
Max. Air Pressure	35 psi		35 psi
Motor	1/2 HP, TEFC	1/2 HP, TEFC	7/8 HP PMDC
Fluid and Air Hose Length	50' with 5' Whip	50' with 3' Whip	50' with 5' Whip
Weight	56 lbs.	27 lbs.	90 lbs.
CONFIGURATIONS	PART NO.	PART NO.	PART NO.
	0508074A	508090	524029

Accessories:



GM 3600 Pro Gun with Reversible Tip Guard 2404548

Design offers ergonomic comfort and a reversible tip system without sacrificing finish quality. Comes with a standard Titan airless gun filter and works with all standard reversible airless and fine finish tips.

Reversible flat tips are available. AirCap and tips sold separately.



GM 3600 Pro Gun with Flat Tip Guard 2412194 Includes a 9/20 flat tip.

Red/Clear 50-foot Bonded Hose 524333



BUILT FOR TEXTURE

Titan texture sprayers are great for both interior and exterior finishing projects. Lightweight and easy to transport yet powerful enough to spray most architectural coatings and texture finishes.





Submerged Fluid Section

- The submerged foot valve creates the most efficient siphoning system on the market today, which handles heavy bodied coatings with ease
- Built with ceramic balls and carbide seats that are resistant to abrasive coatings





- **Spray Multiple Coatings:**
- Skim Coat
- Level 5 Finish
- Drywall Mud





- Architectural Primers
- Finish-Quality Paints

Ready-Mix or Mix On Site Materials Available on Impact 1040T.



Impact 1040T

The lightest, most affordable airless texture sprayer on the market today, it's designed to run both ready-mix and powdered joint compound products.

	Impact 1040T
SPECIFICATIONS	
Max. Delivery	1.15 gpm
Max. Tip Size (1 Gun)	0.033"
(2 Guns)	0.022"
Max. Operating Pressure	3300 psi
Motor	2.5 HP
WEIGHT	
High Rider	98 lbs.
CONFIGURATIONS	PART NO.
High Rider	2405360

IMPACT 1040T

1.15 GPM

Recommended for applications using up to 2 guns for texture and high build coatings.

Features:

PermaLife Cylinder Will never wear out

Electronic Pressure Control Consistent pressure. Zero deadband.

Quad+ Packings

AutoOiler

Telescoping Handle

EZ Tilt[™] Cart

- Allows for quick and easy change out and cleaning
- Easily tilt back with one hand

DuraLife[™] Brusheless HE Motor

Optimized for every tip size and every painter's technique.

Hose Wrap

Holds up to 150-feet of airless hose.

Large Pneumatic Tires



The Impact 1040T comes with an RX-Apex Unfiltered Gun, 517 TR¹ Reversible Tip, Splatter Nozzle, 3/8" x 50' Airless Hose and 1/4" x 6' whip hose.

THE CONTRACTOR CHOICE FOR ELECTRIC AIRLESS PAINT SPRAYERS

a

a

A

				57	57	$\overline{\mathcal{A}}$	$\overline{\mathcal{A}}$
		A	A				
						TOPL	1571
	K.S.		N.S.		170	177-0	17-10
	Impact 410	Impact 440	Impact 640	Impact 740	Impact 840	Impact 1040	Impact 1040T
Part Number - Skid	532052	805-000	805-002				
Part Number - High Rider	532053	805-016	805-004	805-007	805-009	552600	2405360
Part Number - Low Rider		805-019	805-005		805-010		
Max Delivery (GPM)	0.47 (1.78 LPM)	0.54 (2.05 LPM)	0.70 (2.65 LPM)	0.80 (3.03 LPM)	1.00 (3.79 LPM)	1.15 (4.36 LPM)	1.50 (4.55 LPM)
Max Tip Size, 1-Gun	0.021"	0.023"	0.027"	0.029"	0.032"	0.033"	0.033"
Max Tip Size, 2-Guns				0.017"	0.021"	0.022"	0.022"
Max Tip Size, 3-Guns							
Max Tip Size, 4-Guns							
Max. Operating Pressure (psi)	3100 (21.4 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)
Electric Motor	3/4 HP	7/8 HP, DCX	1.55 HP DuraLife Brushless HE DC	2.0 HP DuraLife Brushless HE DC	2.3 HP DuraLife Brushless HE DC	2.5 HP DuraLife Brushless HE DC	2.5 HP Dura Life Brushless 120V
Max. Hose Length	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)
Max. Cord Length	200' (60 m)	200' (60 m)	200' (60 m)	300' (90 m)	300' (90 m)	300' (90 m)	300' (90 m)
Power Cord Length - Skid	6' (2 m)	9' (3 m)	9' (3 m)				
Power Cord Length - Cart	6' (2 m)	9' (3 m)	15' (5 m)	15' (5 m)	15' (5 m)	15' (5 m)	15' (5 m)
Tires - High Rider	10" Semi- pneumatic	10" Semi- pneumatic	10" Semi- pneumatic	10" Semi- pneumatic	12" Pneumatic	12" Pneumatic	12" Pneumatic
Tires - Low Rider		8" Semi- pneumatic	8" Semi- pneumatic	10" Pneumatic	10" Pneumatic		
Weight - Skid (lbs)	34	42	42				
Weight - Cart (lbs)	55	69	69	87	87	98	98
Gun Included	RX-80	RX-80	RX-Pro	RX-Pro	RX-Pro	RX-Pro	RX-Apex (Non-filterd)
Reversible Tip Included	517	517	517	517	517	517	517
Airless Hose Included	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	3/8" x 50' & 1/4" x 6' Whip
Repair Kit - Pump	704-586	704-586	704-586	805-1010	805-1010	558740	0558740
Manifold Filter - Pump	581-059	730-067	730-067	730-067	730-067	730-067	730-067
Repair Kit - Gun	538215	538215	538221	538221	538221	538221	0538221

-				FINE FINISH		
Dae						<u>R</u>
Elite 3000	PowrTwin 6900 Plus	PowrTwin 8900 Plus	PowrTwin 6900 Plus Dl	ED 655 Plus	AirCoat AAA	MultiFinish 440
				0508090		
2402333						524029
	290028	290027	290029		0508074A	
0.60 (2.27 LPM)	1.25 (4.74 LPM)	1.25 (4.74 LPM)	1.25 (4.74 LPM)	0.38 (1.44 LPM)	0.35 (1.33 LPM)	0.54 (2.05 LPM)
0.025"	0.036"	0.036"	0.036"	0.017"	0.017"	0.023"
	0.033"	0.033"	0.033"			
	0.023"	0.023"	0.023"			
	0.019"	0.019"	0.019"			
3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	3300 (22.8 MPa)	2800 (19.3 MPa)	2800 (19.3 MPa)	3300 (22.8 MPa)
1.2 HP Honda DCX	2.0 HP EXL-DC	2.0 HP EXL-DC	2.0 HP EXL-DC	1/2 HP, TEFC	1/2 HP, TEFC	7/8 HP PMDC
300' (90m)	400' (120 m)	400' (120 m)	400' (120 m)	300' (90 m)	300' (90 m)	300' (90 m)
200' (60m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)	200' (60 m)
15′ (5m)	15' (5 m)	15' (5 m)	15' (5 m)	6' (2 m)	6' (2 m)	9' (3 m)
12" Pneumatic						10" Semi-pneumatic
	10" Pneumatic	10" Pneumatic	10" Pneumatic			
				27	56	90
103	148	164	165		56	
RX-Pro	RX-Apex (Non-filterd)	RX-Apex (Non-filterd)	S-5	RX-80	3600 AA Gun	3600 AA Gun
517	517	517	517	412 Fine Finish Tip	9/20 Brilliant Tip	415
1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50'	1/4" x 50' and 3/16"x 3' Whip	1/4" x 50' Bonded Fluid/Air Hose, 5' Fluid Whip & 5' Air Whip	1/4" x 50' Bonded Fluid/Air Hose, 5' Fluid Whip & 5' Air Whip
704-586	144-050	144-050	144-050			704-586
	930-006	930-006	930-006			730-067
538221	550-275	520-025	520-025	538215	2301252	2301252



WEARGUARD CONVENIENCE PROGRAM KEEPS YOU UP AND RUNNING



When you purchase a new Titan sprayer, you're able to take advantage of our exclusive WearGuard Convenience Program. Protect your investment by purchasing a spare fluid section or PermaStroke kit at a discounted rate. Save yourself the time and frustration of an extra trip or waiting for parts to arrive in the event that your sprayer goes down. When you have a backup fluid section or PermaStroke kit on hand, replacement can quickly be made without leaving the jobsite and doesn't require special tools. The bottom line is that WearGuard keeps you up and running.

Not interested in purchasing a spare fluid section? We also offer the option of a free packing kit on select sprayers.

For more information on pricing and how to order, go to:

www.titanwearguard.com or scan the QR code.





KEEP TITAN WITH YOU WHEREVER YOU GO



MyTitan[™] gives you immediate access to all things Titan. Anywhere, anytime on your computer or mobile device. MyTitan gives you everything you need to get the most out of your sprayers, all in one place, no matter where the workday takes you. MyTitan is designed to make your life easier, your business more efficient, and your day more productive-so you can stay ahead of the game, do more in less time, and never lose track of another detail.

For more information on this new app, go to:

www.titantool.com/ mytitan-welcome or scan the QR code.







All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.